

## Acelepryn® 0.067% On TCS GrowStar® Fertilizer

## **GROUP 28 INSECTICIDE**

#### INTENDED FOR USE BY COMMERCIAL APPLICATORS ONLY.

For systemic control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals, interior plantscapes and sod farms.

Not for Sale, Sale Into, Distribution and/or Use in Nassau, Suffolk, Kings, Queens Counties of New York State.

#### ACTIVE INGREDIENTS: **By Weight** Other Ingredients.... 99 933% .. 100.000% Total ....

\* Chlorantraniliprole belongs to the anthranilic diamide chemical class

# 0-0-7

#### **GUARANTEED ANALYSIS**

| SOLUBLE POTASH (K <sub>2</sub> O) | 7.0% |  |
|-----------------------------------|------|--|
| DERIVED FROM: Muriate of Potash.  |      |  |
| CHLORINE (CI) Max                 | 5.3% |  |

In the state of FL it is recommend that the user of this product follow the Florida Green Industries BMPs at: http://www.flaes.org/pdf/BMP\_Book\_final.pdf In the state of FL it is recommend that the user of this product follow the Florida golf

Course BMPs at: http:/www.flaes.org/pdf/glfbmp07.pdf

## **KEEP OUT OF REACH OF CHILDREN CAUTION**

Si usted no entiende la etiquette, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

#### FIRST AID

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20
- Remove contact lenses, if present, after the first 5 minutes, then
- continue rinsing eye. Call a poison control center or doctor for treatment advice

Have the container or label with you when calling a poison center or doctor, or going for treatment. You may also contact 1-800-441-3637 emergency medical treatment information

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution! Causes moderate eve irritation. Avoid contact with eves or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks.

After the product has been loaded into properly calibrated application equipment, shirt, pants, socks and shoes are sufficient Personal Protective Equipment. Follow manufacturer's instruction for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry

#### **USER SAFETY RECOMMENDATIONS**

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

## Net Contents 50 lbs. (22.67 kg)

EPA REG. NO. 100-1492-82757

EPA EST. NO. 82757-OH-001 (MF) First letter of lot code indicates manufacturing site. EPA EST. NO. 82757-MA-002 (H) First letter of lot code indicates manufacturing site. EPA EST. NO. 82757-FL-001 (S) First letter of lot code indicates manufacturing site.

Manufactured by Turf Care Supply LLC 50 Pearl Road, Suite 200 Brunswick, OH 44212

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic invertebrates, oysters and shrimp. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to use sites.

Surface Water Advisory: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of chlorantraniliprole from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Ground Water Advisory: This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and understand the entire label before using this product.

ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer must be used only in accordance with specifications on this label or in separate Turf Care Supply LLC supplemental labeling that may be made temporarily available through local distributors, as a result of new EPA approvals. Turf Care Supply LLC will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated on this label or other labels or bulletins published by Turf Care Supply LLC User assumes all risks associated with such non-specified

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with it labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry interval, and notification workers (as applicable).

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the State or

Tribal agency responsible for pesticide regulation.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides, 40 CFR part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or areenhouses.

Professional applications to golf courses, residential, industrial and commercial lawns and sports fields are not within the scope of the Worker Protection Standard.

Do not allow other workers to enter the treated area while application is in progress.

#### PRODUCT INFORMATION

ACELEPRYN $^{\circledR}$  0.067% on TCS GrowStar $^{\circledR}$  Fertilizer may be applied for the control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals and interior

 $\mathsf{ACELEPRYN}^{ ext{ iny }}$  0.067% on TCS  $\mathsf{GrowStar}^{ ext{ iny }}$  Fertilizer may be used on plants or turfgrasses that are being grown for aesthetic or recreational purposes or climatic modification in or around home lawns, commercial lawns, industrial facilities, residential dwellings, business and office complexes, shopping complexes, multifamily residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, wildlife plantings, playgrounds, schools, day-care facilities, golf courses (tee box areas, roughs, fairways, greens, collars etc.), athletic fields, sod farms and other landscaped areas.

Do not apply ACELEPRYN<sup>®</sup> 0.067% on TCS GrowStar<sup>®</sup> Fertilizer when the soil is saturated with water because adequate distribution of the active ingredient vertically in the soil profile cannot be achieved under this condition.

ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer is in GROUP 28 of the EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs.

Consult your local Turf Care Supply LLC representative, Cooperative Extension Service specialist or pest control advisor for regionally specific information regarding application timing.







## Acelepryn® 0.067%

### On TCS GrowStar® Fertilizer

#### APPLICATION EQUIPMENT

Apply ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer with droptype, rotary-type or hand-held application equipment. The application equipment must be properly calibrated according to the manufacturer's directions to ensure uniform coverage over the treated area. During application, check equipment periodically to confirm that it is working properly and that the granules are being uniformly distributed.

#### APPLICATION TIMING

White Grubs: Apply ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer from early April to early September for preventative and early curative control all of the major white grub species infesting turfgrass. The need for an application may be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. The higher rate listed for white grub control in Table 1 may be required in late August or early September when less sensitive mid-instar grubs are present at the time of application. Irrigate turf immediately after application or allow rainfall to move the product into the soil.

Annual Bluegrass Weevil: Apply ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer when overwintered adult annual bluegrass weevils are observed in late April or early May to prevent damage from first generation larvae in late May and June. An application of ACELEPRYN® 0.067% on TCS GrowStar® at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after mid-May. **Billbugs:** Apply ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer

when overwintered adult billbugs are first observed. This will usually occur in late April or early May in regions with cool-season turfgrasses. An application of ACELEPRYN® 0.067% on Fertilizer at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after early May or when billbug species other then bluegrass billbug are present.

European Crane Fly: Apply ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer between September and November to control European crane fly larvae in turfgrass. The higher rate listed in Table 1 may be required to achieve control when applications are made in November.

Turf Caterpillars: ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer will provide curative caterpillar control in turfgrass. If the area being treated is maintained at a mowing height of greater then one inch, then the higher rate listed in Table 1 may be required during periods of high

Chinch Bugs: For suppression of chinch bugs, apply ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer before eggs hatch.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL TURFGRASS AREAS: Table 1 provides the application rates that will control the listed turfgrass pests. For maximum residual effectiveness or for optimal control of large pest infestations, apply ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer at up to 500 pounds per acre (0.33 lb Al/A) to control any of the pests listed in Table 1. Restriction: Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass.

TABLE1: TURFGRASS APPLICATION RATES

| Target Pest   | Product    | Product per 1,000 | lb      |
|---|------------|-------------------|---------|
|   | per Acre   | Square Feet       | Al/A    |
| White Grubs (including Aphodius spp., Asiatic garden beetle, black turfgrass ataenius, European chafer, green June beetle, Japanese beetle, May/June beetles (phyllophaga spp.), northern masked chafer, oriental beetle and southern masked chafer)  Billbugs European Crane Fly | 150 to 300 | 3.44 to 6.88      | 0.1 to  |
|   | pounds*    | pounds            | 0.2     |
| Turf caterpillars (including<br>armyworms, cutworms and sod<br>webworms)  |            |                   |         |
| Annual bluegrass weevil   | 225 to 300 | 5.17 to 6.88      | 0.15 to |
|   | pounds*    | pounds            | 0.2     |
| Chinch bugs (suppression only)  | 150 to 300 | 3.44 to 6.88      | 0.1 to  |
|   | pounds*    | pounds            | 0.2     |

\*For maximum residual effectiveness or optimal control of large pest infestations, apply  $\label{eq:control_control_control} \text{Acelepryn}^{\circledR} \ 0.067\% \ \text{on TCS GrowStar}^{\circledR} \ \text{Fertilizer at up to 500 pounds per acre} \ (0.33 \ \text{lb})$ 

AI/A).

APPLICATION RATES FOR ORNAMENTAL PLANTS: Table 2 provides the application rates that will control the pests of landscape ornamentals and interior plantscapes. Before application, remove black plastic or other weed barrier materials that are impermeable to water. For maximum residual effectiveness or for optimal control of large pest infestations, ACELEPRYN $^{\scriptsize (\!6\!)}$  0.067% on TCS

GrowStar<sup>®</sup> Fertilizer may be applied at up to 500 pounds per acre (0.33 lb Al/A) to control any of the pests listed in Table 2. Restriction: Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass.

TABLE 2: ORNAMENTAL TREE AND SHRUB (INCLUDING EVERGREENS), FLOWER, FOLIAGE PLANT, AND GROUNDCOVER APPLICATION RATES

| Target Pest   | Product per           | Product per 1,000      | lb               |
|---|-----------------------|------------------------|------------------|
|   | Acre                  | Square Feet            | Al/A             |
| White Grubs (Asiatic garden beetle,<br>European chafer, green June<br>beetle, Japanese beetle, May/June<br>beetles, ( <i>Phyllophaga</i> spp.),<br>northern masked chafer, oriental<br>beetle and southern masked chafer) | 150 to 300<br>pounds* | 3.44 to 6.88<br>pounds | 0.1<br>to<br>0.2 |

For maximum residual effectiveness or optimal control of large pest infestations, apply Acelepryn<sup>®</sup> 0.067% on TCS GrowStar® Fertilizer at up to 500 pounds per acre (0.33 lb Al/A).

EPA EST. NO. 82757-OH-001 (MF) First letter of lot code indicates manufacturing site EPA EST. NO. 82757-MA-002 (H) First letter of lot code indicates manufacturing site.

#### Spreader Settings 150 lb/A 225 lb/A 300 lb/A Spreader 3.44 lb/1000 sq ft 5.17 lb/1000 sq ft 6.88 lb/1000 sq ft Scotts R8A AccuPro 2000 L 1/2 N ½ LESCO 13 18 (Numbers) LESCO E 1/2 F 1/2 Н (Letters)

CLEANING APPLICATION EQUIPMENT: Thoroughly clean all application equipment after use to reduce the risk of forming hardened deposits that might become difficult to remove. Thoroughly rinse application equipment with clean water. Clean all other associated application equipment. Take all necessary safety precautions when cleaning equipment. Do not clean equipment near wells, or other water sources. Dispose of waste rinse water in accordance with local regulations.

INTEGRATED PEST MANAGEMENT (IPM) PROGRAMS: ACELEPRYN® 0.067% on

TCS GrowStar® Fertilizer is recommended for IPM programs on turf and landscape ornamentals because it does not directly impact natural arthropod predator and parasitoid populations including ladybird beetles, lacewings, minute pirate bugs and predatory mites. The feeding behavior of beneficial arthropods will aid in extending natural control of other insects and mite pests and will reduce the possibility of secondary pest outbreaks. ACELEPRYN® 0.067% on TCS GrowStar® Fertilizer will reduce the target pest species that may serve as a food source for beneficial

RESISTANCE MANAGEMENT: Some insects are known to develop resistance to products used repeatedly for control. When this occurs, the labeled dosages fail to suppress the pest population below threshold levels. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. These strategies may include incorporation of cultural and biological control practices, alternation of active classes of insecticides on succeeding generations and targeting the most susceptible life stage. Consult your local Turf Care Supply LLC representative, Cooperative Extension Service specialist or pest control advisor for the latest information on resistance management in your area.

#### Restrictions

- Not for use on plants (except turfgrass on sodfarms) being grown for sale or other commercial use, or for commercial seed production.
- Do not formulate this product into other end-use products without written permission from Turf

- Do not formulate this product into other end-use products without written permission from Turf Care Supply LLC
   Do not apply this product in commercial nurseries and greenhouses.
   Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass or landscape ornamental plants.
   Do not apply more than 300 pounds (equivalent to 0.2 lb of active ingredient) of product per acre in a single application on sod farms.
   Wait a minimum of 7 days to retreat
- Wait a minimum of 7 days to retreat
- Do not apply by air.
- The following restrictions are required to permit use of ACELEPRYN  $^{\rm @}$  0.067% on TCS GrowStar  $^{\rm @}$  Fertilizer in the State of New York:

Golf Courses:
Greens, tee boxes: Do not apply this product within 25 feet of a water body (lake, pond, river,

stream, wetland, or drainage ditch).

Fairways: Do not apply this product within 50 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

All other use sites: Do not apply this product within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

stream, wetland, or drainage ditch)

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

Storage: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in

or around the home.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes

of this product must be disposed of on site or at an approved waste disposal resulting from the use of this product must be disposed of on site or at an approved waste disposal

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned,

NOTICE TO BUYER – Purchase of this material does not confer any rights under patents of countries outside of the United States.

#### LIMITATIONS OF WARRANTY AND LIABILITY

NOTICE: Read This Limitation of Warranty and Liability before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded.

It is impossible to eliminate all risk associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Turf Care Supply LLC or Seller. These risks can cause ineffectiveness of the product or other unintended consequences. WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS.

Turf Care Supply LLC warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, TURF CARE SUPPLY LLC MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL TURF CARE

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL TURF CARE SUPPLY LLC OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF TURF CARE SUPPLY LLC OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER LEGAL THEORY) RESULTING FROM THE STORAGE, USE OR HANDLING OF THIS PRODUCT, SHALL BE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF TURF CARE SUPPLY LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT. To the extent consistent with applicable law that allows such requirement, Turf Care Supply LLC or its distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify Turf Care Supply LLC or a Turf Care Supply LLC distributor of any claims, whether based on contract, negligence, strict liability, other tor or otherwise or be barred from any remedy.

other tort or otherwise or be barred from any remedy.

This Limitation of Warranty and Liability may not be amended by any oral or written agre

TCS GrowStar® is a registered trademark of Turf Care Supply LLC

Acelepryn® is a registered trademark of Syngenta.







EPA REG. NO. 100-1492-82757